



HK
KNIVES




NO COMPROMISE.

For over half a century, Heckler and Koch has been a leading designer and manufacturer of military, law enforcement, and civilian firearms. HK's reputation for quality, innovation, and safety make them a recognized leader in technologically advanced products.

This dedication to innovation continues with HK® Knives. Created and manufactured by Benchmade Knife Company, these superior edged tools combine leading technology with artful and practical design. Patented functional technologies like the AXIS® locking mechanism, push-button autos with an integrated safety and the lightning fast Nitrous™ assist opener are deployed throughout the product line. Plus, manufacturing processes adhering to tolerances usually reserved for the aerospace industry provide a go-together fit and finish.

Our customers live the HK motto on a daily basis – No Compromise. We consider it a fundamental obligation to deliver the best possible products to those we support, whether they are military forces defending our rights and freedom or law enforcement professionals maintaining order. You have our commitment that we will continuously pursue quality, innovation and performance in all of the products we offer.



AUTOS



14800
TUMULT™

NEW

**LOCKING
MECHANISM**

Double Action
Out-The-Front Auto

**BLADE STYLE &
OPENER**

Modified Clip Point;
Ambidextrous Thumb-Slide

BLADE STEEL

D2 Tool Steel (60-62 HRC)

HANDLE SPECS

6061-T6 Aluminum

MSRP

14800 \$280, 14800S \$280,
14800BK \$295, 14800SBK \$295
Made in the USA



14800BK

BLADE LENGTH	3.50" (8.89cm)
BLADE THICKNESS	0.100" (2.54mm)
HANDLE THICKNESS	0.44" (1.12cm)
OPEN	8.10" (20.57cm)
CLOSED	4.60" (11.68cm)
WEIGHT	3.00oz (85.05g)

14905SBT 14455SBT



14455SBT

14905SBT

BLADE LENGTH	3.40" (8.64cm)
BLADE THICKNESS	0.150" (3.81mm)
HANDLE THICKNESS	0.49" (1.24cm)
OPEN	8.19" (20.80cm)
CLOSED	4.50" (11.43cm)
WEIGHT	5.30oz (150.25g)

LOCKING MECHANISM	Auto AXIS® w/Integrated Safety
BLADE STYLE & OPENER	Modified Clip-Point, Modified Tanto, Ambidextrous Auto-AXIS® Button Release
BLADE STEEL	154CM Stainless Steel (58-61HRC)
HANDLE SPECS	Machined Black G10 Scales, Double 410 Stainless Steel Liners, Movable Steel Carry-Clip
MSRP	14905SBT \$245, 14905BT \$245, 14455SBT \$245, 14455BT \$245 Made in the USA



14700 14750



14700SBX

14750

	14700	14750
BLADE LENGTH	3.75" (9.53cm)	2.89" (7.34cm)
BLADE THICKNESS	0.124" (3.15mm)	0.120" (3.05mm)
HANDLE THICKNESS	0.53" (1.33cm)	0.50" (1.27cm)
OPEN	8.42" (21.39cm)	6.69" (16.99cm)
CLOSED	4.68" (11.98cm)	3.88" (9.86cm)
WEIGHT	4.14oz (117.37g)	2.60oz (73.71g)

LOCKING MECHANISM	Button Auto w/Integrated Safety
BLADE STYLE & OPENER	Hollowground Modified Drop-Point; Push Button w/Auto Open
BLADE STEEL	440C Stainless Steel (58-60HRC)
HANDLE SPECS	Machined 6061 T-6 Aluminum, Movable Steel Carry-Clip
MSRP	14700 \$135, 14700S \$135, 14700BX \$150, 14700SBX \$150, 14750 \$120, 14750S \$120, 14750BX \$135, 14750SBX \$135 Made in the USA

FOLDERS



14650

NEW

LOCKING MECHANISM	Locking-Liner
BLADE STYLE & OPENER	Modified Drop Point, Thumb Stud Opener
BLADE STEEL	8CR13 Stainless Steel (58-60HRC)
HANDLE SPECS	Black Molded Thermoplastic with P30 Texture
MSRP	14650BT \$45, 14650SBT \$45 Imported



14650SBT

BLADE LENGTH	2.95" (7.49cm)
BLADE THICKNESS	0.100" (2.54mm)
HANDLE THICKNESS	0.45" (1.14cm)
OPEN	6.75" (17.15cm)
CLOSED	3.88" (9.85cm)
WEIGHT	2.20oz (62.37g)

14440SB ALLY™



14440SB

BLADE LENGTH	2.80" (7.11cm)
BLADE THICKNESS	0.115" (2.92mm)
HANDLE THICKNESS	0.30" (0.76cm)
OPEN	6.87" (17.46cm)
CLOSED	4.10" (10.41cm)
WEIGHT	2.92oz (82.78g)

LOCKING MECHANISM	Monolock
BLADE STYLE & OPENER	Modified Clip-Point; Ambidextrous Round Hole Opener
BLADE STEEL	AUS8 Stainless Steel (58-60HRC)
HANDLE SPECS	One Piece 420J Stainless Steel Handle Assembly, Steel Carry-Clip, Glass Breaker
MSRP	14440SB \$40 Imported

14460 NITROUS BLITZ™



14460SBT

BLADE LENGTH	3.40" (8.63cm)
BLADE THICKNESS	0.100" (2.54mm)
HANDLE THICKNESS	0.43" (1.09cm)
OPEN	8.00" (17.27cm)
CLOSED	4.60" (11.68cm)
WEIGHT	2.70oz (76.54g)

LOCKING MECHANISM	Modified Locking-Liner w/Nitrous™ Assist Opener
BLADE STYLE & OPENER	Modified Clip-Point w/ Recurve; Single Thumb Stud
BLADE STEEL	154CM Stainless Steel (58-61HRC)
HANDLE SPECS	Black G10 Scales, Dual 6AL4V Titanium Liners, Removable Steel Carry-Clip
MSRP	14460 \$140, 14460S \$140, 14460BT \$155, 14460SBT \$155 Made in the USA

14301/14351
ASCENDER™
TANTO

NEW

LOCKING MECHANISM	Locking-Liner
BLADE STYLE & OPENER	Tanto; Dual Thumb-Studs
BLADE STEEL	9CR13 Stainless Steel (58-60HRC)
HANDLE SPECS	Black G10 Scales, Black Oxide Hardware, Deep Carry Clip
MSRP	14301BT \$60, 14301SBT \$60, 14351BT \$75, 14351SBT \$75 Imported



	14301	14351
BLADE LENGTH	2.92" (7.42cm)	3.86" (9.80cm)
BLADE THICKNESS	0.100" (2.54mm)	0.120" (3.05mm)
HANDLE THICKNESS	0.41" (1.04cm)	0.41" (1.04cm)
OPEN	7.00" (17.78cm)	9.25" (23.50cm)
CLOSED	4.02" (10.21cm)	5.34" (13.56cm)
WEIGHT	3.00oz (85.05g)	5.40oz (153.00g)

NO COMPROMISE.

HK
KNIVES

14302/14352
ASCENDER™
DROP POINT

NEW

LOCKING MECHANISM	Locking-Liner
BLADE STYLE & OPENER	Drop Point; Dual Thumb-Studs
BLADE STEEL	9CR13 Stainless Steel (58-60HRC)
HANDLE SPECS	Black G10 Scales, Black Oxide Hardware, Deep Carry Clip
MSRP	14302BT \$60, 14302SBT \$60, 14352BT \$75, 14352SBT \$75 Imported



	14302	14352
BLADE LENGTH	2.92" (7.42cm)	3.86" (9.80cm)
BLADE THICKNESS	0.100" (2.54mm)	0.120" (3.05mm)
HANDLE THICKNESS	0.41" (1.04 cm)	0.41" (1.04 cm)
OPEN	7.00" (17.78cm)	9.25" (23.50cm)
CLOSED	4.02" (10.21mm)	5.34" (13.56cm)
WEIGHT	3.00oz (85.05g)	5.40oz (153.08g)

14210

BLADE LENGTH	2.95" (7.52cm)
BLADE THICKNESS	0.115" (2.92mm)
HANDLE THICKNESS	0.49" (1.24cm)
OPEN	6.80" (17.27cm)
CLOSED	3.85" (9.77cm)
WEIGHT	3.08oz (87.32g)



LOCKING MECHANISM	AXIS® Lock
BLADE STYLE & OPENER	Modified Drop-Point w/Recurve; Ambidextrous Thumb Studs
BLADE STEEL	154CM Stainless Steel (58-61HRC)
HANDLE SPECS	Contoured Black G10 Scales, Double 420J Stainless Steel Liners, Movable Steel Carry-Clip
MSRP	14210 \$160, 14210S \$160, 14210SBT \$175 Made in the USA

HK
KNIVES

14205

BLADE LENGTH	3.40" (8.40cm)
BLADE THICKNESS	0.150" (3.81mm)
HANDLE THICKNESS	0.49" (1.24cm)
OPEN	8.19" (20.80cm)
CLOSED	4.50" (11.43cm)
WEIGHT	4.96oz (140.61g)



LOCKING MECHANISM	AXIS® Lock
BLADE STYLE & OPENER	Modified Drop-Point w/Recurve; Ambidextrous Thumb Studs
BLADE STEEL	154CM Stainless Steel (58-61HRC)
HANDLE SPECS	Flat Black G10 Scales, Double 420J Stainless Steel Liners, Movable Steel Carry-Clip
MSRP	14205 \$180, 14205S \$180, 14205BT \$195, 14205SBT \$195 Made in the USA



14100

BLADE STYLE	Modified Drop-Point w/ Recurve
BLADE STEEL	440C Stainless Steel (58-60HRC)
HANDLE SPECS	Full Tang; Molded Black Thermoplastic Scales
SHEATH	Snap-Fit Molded Kydex® Thermoplastic, Movable Belt Loop Carry
MSRP	14100 \$90, 14100S \$90, 14100BT \$105, 14100SBT \$105 Made in the USA



14100

BLADE LENGTH	3.62" (9.19cm)
BLADE THICKNESS	0.150" (3.82mm)
HANDLE THICKNESS	0.57" (1.46cm)
OVERALL LENGTH	7.62" (19.35cm)
WEIGHT	8.30oz (235.30g)

NEW

14440SB-COMBO **Combo Pack**

Includes:

- 14441T - Multi-tool with Pouch
- 14442L - LED Light
- 14440SB - Ally™ Knife

Packaged in a HK pistol case.

MSRP: \$100.00; Imported



14441T **20 Tools in One**

Needle nose pliers, multiple blades, strap cutter, wire cutter and crimper, screw driver, file and more. Carry pouch and 9 piece bit set included.

MSRP: \$40.00; Imported



14442L **LED Light**

LED light with run time of up to 10 hours and a removable pocket clip. 70 Lumens/3 Watts; Requires 3AAA batteries not included.

MSRP: \$40.00; Imported

HK
KNIVES

LIMITED LIFETIME WARRANTY

Benchmade Knife Company, Inc. ("Benchmade") warrants to the original owner that this knife will be free from defects in materials and workmanship. Benchmade will, without charge, repair or replace, at Benchmade's option, any knife returned for Warranty work and found to be defective by Benchmade. The knife must be shipped by owner prepaid and insured freight, together with a description of the problem, and must be accompanied by the original bill of sale, your charge or credit card receipt or any satisfactory proof of the original date of purchase from a retail dealer. Any automatic knife returned for Warranty service from outside of Oregon must also include a copy of the owner's active police or military identification, or be returned through the authorized Benchmade dealer from whom the knife was originally purchased.

NO EXCEPTIONS WILL BE MADE.

WHAT IS COVERED?

This Warranty covers replacement parts and labor.

WHAT IS NOT COVERED?

This Warranty does not cover normal wear, resharping of the blade, damage caused by neglect, misuse or the failure to perform normal or necessary maintenance, disassembly of any knife by any person other than Benchmade's HK Warranty department, or shipping costs for returned knives.

Do not use your new knife as a screwdriver, prybar, chisel or punch. Do not throw your knife or use it for any purpose other than cutting. Do not disassemble your knife. Do not sharpen your knife on a power grinding wheel. Any of these acts will void your Warranty. **MINIMUM CHARGE TO REASSEMBLE A KNIFE WHEN THE WARRANTY HAS BEEN VOIDED IS \$20 PLUS PARTS.**

Repair or replacement as provided under this Warranty is the exclusive remedy of the consumer. HK or Benchmade shall not be liable for any incidental, reliance, or consequential damages or breach of implied Warranty on this product, including any damage to person or property. Benchmade's liability under any circumstances is limited to the purchase price. Some states do not allow exclusion or limitation of incidental or consequential damages, so the above limitations or exclusions may not apply to you. This Warranty gives you specific legal rights, and you may also have other rights which vary from state to state.

This knife has only one use, as a cutting tool. HK's knives carry no warranty except as expressly contained herein. HK and Benchmade disclaims all warranties of merchantability and fitness for a particular purpose other than for use as a cutting tool. There are no warranties which extend beyond the description contained herein.

Please review the Warranty information and proper knife care instructions provided with each knife.

ORDERING OF AUTOMATIC KNIVES

Automatic knives are available for sale in Oregon state. All orders for automatic knives must be on departmental purchase order or letterhead with wording to the effect that the knives will be used as duty items. All orders for automatic knives must be faxed or mailed. We cannot accept phone orders for automatic knives. The sales of automatic knives is Federally regulated (refer to catalog inside cover for Federal Statutes), always check permissibility within your state or locality as non-Federal personnel may be precluded from ownership or use by State laws. **NO EXCEPTIONS WILL BE MADE.**

SHIPPING OF AUTOMATIC KNIVES

All AUTOMATIC knives shipped by Benchmade will be done via the following couriers, UPS, FedEx, etc. and CANNOT be shipped through the U.S. Postal Service. Also please note that all returns of automatic knives must be shipped via alternate couriers, UPS, FedEx, etc. This is in accordance with the policies of the U.S. Postal Service. Thank you.

ARE HK ASSIST OPEN KNIVES LEGAL?

Even though the HK assist opener models are not classified as automatics or switchblades, it is still recommended that the user research and verify the legalities in their own specific areas. Knife laws and regulations are subject to local interpretations and may change frequently.

MODEL FEATURE CODES

S	Partially Serrated, No Blade Coating
SBK	Partially Serrated, Black Ceramic Coating
SBT	Partially Serrated, Black Teflon® Coating
SBX	Partially Serrated, Black Oxide Coating
BK	Black Ceramic Coating
BT	Black Teflon® Coating
BX	Black Oxide Coating

Every effort is made to ensure the accuracy of the prices and information presented in this catalog. However, we reserve the right to rectify any and all errors prior to any sale transactions.

Prices shown are at suggested retail (U.S. currency). Actual purchase prices may vary. All pricing and product specifications are subject to possible change without prior notice. Visit hk-knives.com for the latest information.

The following are trademarks of Benchmade Knife Company, Inc., Oregon City, Oregon USA: Ascender, Ally, Blitz, Nitrous, Tumult. The following are registered trademarks of Benchmade Knife Company, Inc., Oregon City, Oregon USA: AXIS; BenchKote (BK); BK1; BT2; ComboEdge; LifeSharp. NOTE: We reserve the right to make any design and/or material modifications without prior notice. • Benchmade products are manufactured under one or more of the following patents: Safety Lock for Automatic Folding Knife- U.S. Patent No. 5,822,866; Blade Lock Mechanism for Folding Knife (Modified Locking Liner)- U.S. Patent No. 5,755,035; Pocket Knife With Lock (AXIS Lock)- U.S. Patent No. 5,737,841. ©2009 BENCHMARK KNIFE CO., INC. • Printed in the USA • Other Patents Pending



300 BEAVERCREEK ROAD
OREGON CITY, OR 97045

ADDRESS SERVICE REQUESTED

PRSRT STD
US POSTAGE
PAID
OREGON CITY, OR
PERMIT NO. 25

