

HK417 7.62 MM X 51	IDNO.	DESIGNATION	12"	16"	20,,	REMARKS
	234708	Magazine, 20 rounds	•	•	•	
	234690	Magazine, 10 rounds	~	•	~	
				: 		
				1 1 1 1	1	
			1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1 1 1 1	 	
<b>(1)</b>	227684	Brass Catcher	~			
				I I I I	1	
Section 2				1 1 1 1	1	
The state of the s				1 1 1 1 1	 	
			- - -	 		
	227609	Grip V1	~	•	~	
				1 1 1 1	1 1 1	
				I 	1	
				 	1	
	227610	Grip V2				
	22,010	5.7.72		 	1	
				L 	 	
				1 1 1 1		
				1 1 1		
				1		

HK417 7.62 MM X 51	IDNO.	DESIGNATION	12"	16"	20,,	REMARKS
	235256	Grip V3	· ·	~	~	With storage compartment for quick-release sight
			! !			
			  -  -  -  -  -  -	 	  -  -  -  -  -  -	
	-		 	 	 	
	234671	Grip V4	· ·	<b>~</b>	<b>'</b>	With storage compartment for AA battery
			 		! ! ! !	
			: : : : :	 		
			1 1 1 1 1 1	 	1 1 1 1 1 1	
	968512	Grip BG-16		· ·	·	With storage compartment for AA battery
	908312	OTP 50-10	1		1	with storage compartment for AA buttery
			1 1 1 1 1	 		
			: 	  -  -  -  -	: 	
	236719	Grip V6	•	~	~	With storage compartment for quick-release sight
			1 1 1 1 1 1		 	
	1		1	! !		i 

HK417 7.62 MM X 51	IDNO.	DESIGNATION	12"	16"	20,,	REMARKS
	260571	Grip V7	•	~	-	With storage compartment for tools
	1					
				1 1 1	 	
				 	1 1 1 1 1	
. 🚜	237588	Buttstock conversion kit	•	•		
		237538 Buttstock with adjustable cheek rest		 		Black
		237539 Extension		1	1 1 1	Black
		<b>236544</b> Nut				
	237550	Buttstock SlimLine	•	~	~	Black
				 	1	
				 	1	
· · · · · · · · · · · · · · · · · · ·	; ; ; ;			i i i	ļ 	
4 4 4	235338	Recoil pad, convex	•	~	~	Captive with Bowden cable
	227614	Recoil pad, convex	~	~	~	
	236323	Recoil pad, convex	•	•	•	Plastic plug
	1			1		
פבר פבי ייבי	1			1		

HK417 7.62 MM X 51	IDNO.	DESIGNATION	12"	16"	20,,	REMARKS
	235361	Recoil pad, concave	~	~	~	Captive with Bowden cable
	227616	Recoil pad, concave	~	•	~	
	236330	Recoil pad, concave	~	~	~	Plastic plug
	235333	Locking lever for buttstock	<b>~</b>	<b>~</b>	<b>~</b>	Short variant
	227379	Locking lever for buttstock	•	~	~	Long variant
	227383	Plate with loops for carrying sling	·	•	~	Only in connection with carrying sling 227482 and 234723
	236596	Plate without loops for carrying sling (standard)	~	~	~	
	235934	Plate with loops for carrying sling		    	<b>~</b>	Only in connection with carrying sling 235903
	235934	riale with toops for carrying sting		1		Only in connection with currying sting 235903
			 	1 		
				I I I		

HK417 7.62 MM X 51	IDNO.	DESIGNATION	12"	16"	20,,	REMARKS
	235745	Blank firing attachment	~	· · · · · · · · · · · · · · · · · · ·	•	Adjustable
				1 1 1 1 1 1	1 1 1 1 1 1	
	299657	Silencer, ROTEX-III	~	•		Ø max. 38.1 mm / L: 221.6 mm / G: 788 g / 30 dB A
	967252	Silencer, ROTEX-V	-	· ·	~	Ø max. 38 mm / L: 190.8 mm / G: 600 g / 25 dB A
21,05345				 	1 1 1 1	
100 300 Win 01,033465						
		1 1 1 1		 	1 1 1 1	 
	211013	Muzzle cap	~	<b>~</b>	•	
				I I I I	1 1 1 1	
				 	1	
					: 	
	978584	Ribbon for buttstock	-	· · · · · · · · · · · · · · · · · · ·	· ·	
				1 1 1 1	1 1 1 1	
				1	1	
				! !	! !	
	i	i	i	i	i	i

HK417 7.62 MM X 51	IDNO.	DESIGNATION	12"	16"	20,,	REMARKS
	251450	HK assault grip	~	•	~	
	234620	HK assault grip (with slide-in for LM/LLM switch)	~	<b>~</b>	~	
	968869	Assault grip with integrated bipod, black	~	· · · · · · · · · · · · · · · · · · ·	·	Requirement: picatinny rail
	967632	Assault grip with integrated bipod, dessert tan	~	· · · · · · · · · · · · · · · · · · ·	•	Requirement: picatinny rail
	978521	Harris bipod, adjustable from 15 to 23 cm, 6 steps	•		~	Requirement: picatinny rail and adapter 233719
	978499	Harris bipod, adjustable from 15 to 23 cm, stepless	~	•	~	Requirement: picatinny rail and adapter 233719
	985714	Harris bipod, adjustable from 23 to 33 cm, stepless	~	· ·	· · ·	Requirement: picatinny rail and adapter 233719
	233719	Picatinny adapter for Harris bipod	~	•	•	
The state of the s				 	 	
				1	1	

HK417 7.62 MM X 51	IDNO.	DESIGNATION	12"	16"	20,,	REMARKS
	233778	Standard charging handle	•		•	
			1	 	1 1 1	
				 	1 1 1 1	
				 	1 1 1 1	
	227491	Extended charging handle, left	~	~	~	
	236205	Extended charging handle, right	~	~	~	
			 	1 1 1 1	1	
7						
				! ! ! !	! ! !	
	1		1	 	1 1 1 1	
	227635	Dioptre sight	•	·	i ! ! -	28.4 mm sighting line
	227666	Diopter sight	-	- -	•	28.4 mm sighting line
				 	1 1 1	
				! ! !	: ! !	
				 	1 1 1 1	
			 	 	1 1 1 1	
_	233210	Fix front sight for diopter sight				28.4 mm sighting line
				 	1	
				 	1	
			1	 	1	
				! !	1	

HK417 7.62 MM X 51	IDNO.	DESIGNATION	12"	16"	20,,	REMARKS
(1)	203622	Foldable front sight for diopter sight	~	~	-	28.4 mm sighting line
X				 	 	
A				 	 	
	226205	Faldable front sight for diantor sight			-	Closed front sight 20.4 mm sighting line
$\mathbf{Q}$	236305	Foldable front sight for diopter sight				Closed front sight, 28,4 mm sighting line
<b>)</b>	 			i i i	i   	
	300009	Sight adjustment tool	~		•	For dioptre sight
1013-W 4				 	 	
	227657	Quick-release sight	-			2 mm Ø rear sight bore, 33 mm sighting line
	235334	Quick-release sight	-	•	-	3 mm Ø rear sight bore, 33 mm sighting line
	236692	Quick-release sight, captive	•	•	•	3 mm Ø rear sight bore, 33 mm sighting line
B						
Open						
•			1		1	1 1 1

HK417 7.62 MM X 51	IDNO.	DESIGNATION	12"	16"	20,,	REMARKS
	235251	Foldable front sight for quick-release sight	~	~		Open front sight, 33 mm sighting line
	235905	Foldable front sight for quick-release sight	~	•		Closed front sight, 33 mm sighting line
	233815	Picatinny handguard short	~		 	
Managarana Maria	260601	Picatinny handguard A1 short	~	· · · · · · · · · · · · · · · · · · ·		
	233669	Picatinny handguard long	-		•	
THE THE PARTY OF T				1 1 1 1 1 1 1 1 1	1 1 1 1 1 1 1 1 1	

HK417 7.62 MM X 51	IDNO.	DESIGNATION	12"	16"	20,,	REMARKS
	227612	Long picatinny handguard with flip up front sight	-	~	~	Fits quick-release sight with 33 mm sighting line
THINH!	260616	Picatinny handguard A1 long w/o window with flip up front sight	-	~	-	Fits quick-release sight with 33 mm sighting line
A MANAGEMENT OF THE PARTY OF TH			1	 		
Annie Millimine			1 1 1	 	 	
THIN THE PARTY OF			1	 	 	
	235722	Quick change mount		·		For telescopic sights with pipe Ø 30mm
	235726	Quick change mount	-	~	-	For telescopic sights with pipe Ø 30mm, NSV80 sighting line
	235715	Quick change mount	•	~	~	For telescopic sights with pipe Ø 34mm
<b>1</b> 8 8	235720	Quick change mount	•	~	-	For telescopic sights with pipe Ø 34mm, NSV80 sighting line
			1	1 1 1 1		
	 			; ; ; ;	i   	
	235842	Picatinny rail attachment for quick change mount	•	•	~	For telescopic sights with pipe Ø 34 mm
1111			 	1 1 1 1	1	
			i !			
			1			
9.3			1	I I I I	 	
				 	¦ 	
	235693	Quick change mount	•	~	~	For telescopic sights with STANAG interface
			1			
			I I I	I I I	1	
			1			
				 	1	

HK417 7.62 MM X 51	IDNO.	DESIGNATION	12"	16"	20,,	REMARKS
	227897	Conversion kit 0-1-D, two-tier trigger	~	~	~	20 N trigger pull
• • • •				 	 	
To Van						
				1 1 1 1	 	
	 			 	  -  - 	
	967065	Rubber Picatinny rail cover, black	~	~	·	LxWxH 95x25x10 mm
Alexander 1	978266	Rubber Picatinny rail cover, black	-	~	~	LxWxH 45x25x10 mm
THINIT				1 1 1	 	
Carried Lines				1 1 1 1		
				1 	 	
CONTRACTOR STATES CONTRACTOR CONTRACTOR	235576	Picatinny rail cover set, black	-		_	Set consist of 3 rails
				 	1	
	 			1 1 1 1 1	1 	
	237250	Adapter for carrying sling 234723		·	~	With rotary loop for carrying sling
	237235	Adapter for carrying sling 234723  Adapter for carrying sling 234723		~	~	With rotary loop for carrying sling and Allen screw
		, , , , , , , , , , , , , , , , , , , ,		 	 	
				1 1 1 1	 	
				1	1	

HK417 7.62 MM X 51	IDNO.	DESIGNATION	12"	16"	20,,	REMARKS
	234723	Carrying sling with quick release, black	~	<b>~</b>	· · · · · · · · · · · · · · · · · · ·	38 mm wide
	235903	Carrying sling with quick release, black	~	~	<b>~</b>	32 mm wide (only to use with plate 235934)
F				 	1	
				 	1 1 1	
	227482	Carrying sling with quick release without hook, black	~	~	~	38 mm wide (only to use with plate 227383)
			1	 	: ! !	
				 	I I I	
				 	! ! !	
				 	1 1 1 1	
				! 		
	985692	Elastic carrying sling, black	~			1250 mm length
	968224	Elastic carrying sling, olive green	<b>V</b>			1250 mm length
	968481 984515	Elastic carrying sling, black  Elastic carrying sling, black	•	<b>'</b>		1325 mm length
	984515	Elastic carrying sting, black	, i	*   *		1600 mm length
	- - -			 		
	978523	Cleaning kit 7.62 mm x 51. Consisting of: 299172 Nylon storage bag, black 299174 Bag with silicon fabric 299175 Oil bottle, filled 299176 Oil brush 299179 Cleaning pads 227394 Cleaning rod 235641 Assembly tool 235914 Cleaning sheet metal 978549 Chamber brush 978555 Brass brush	V	<b>~</b>	•	

HK417 7.62 MM X 51	IDNO.	DESIGNATION	12"	16"	20	REMARKS
-mmmmm	211023	Cleaning kit 7.62 mm x 51 - 9 mm x 19. Consisting of: 211333 Storage box, olive green 207501 Cleaning chain 924026 Oil bottle, empty 924027 Oil brush 924029 Cleaning brush 929084 Oil brush	~	**************************************	<b>~</b>	
	978660	Cleaning rod, 7.62 mm x 51	<b>~</b>	•	·	For brushes with threads from the cleaning kits
					I. I. I. I. I.	
					1 1 1 1 1	
	1			 	1 1 1 1 1	
	1 1 1 1 1				 	
	1				1 1 1 1 1 1	
	1 1 1 1 1			 	 	
	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1				 	



HECKLER & KOCH GMBH
HECKLER & KOCH-STRASSE 1 | 78727 OBERNDORF A. N. | GERMANY PHONE: +49 (0)742379-0 | FAX: +49 (0)742379-2350 HKINFOBOARD@HECKLER-KOCH-DE.COM | WWW.HECKLER-KOCH.COM