

G36 5.56 MM X 45	IDNO.	DESIGNATION	636	G36K	G36C	REMARKS
	237282	Magazine, 30 rounds	•	· · · · · · · · · · · · · · · · · · ·	~	Without retainers, without rim
	215098	Magazine, 30 rounds	~	•	~	
	234617	Magazine, 30 rounds	~	~	~	Without retainers
	217929	Magazine, 10 rounds	•	· · · · · · · · · · · · · · · · · · ·	~	
	 		1			
	217685	C-MAG drum type magazine, 100 rounds. Consisting of: 983777 C-MAG drum type magazine, 100 rounds 983778 Magazine loader, 5 rounds, black 985023 Magazine loader, 5 rounds, yellow 983779 Magazine pouch, BW camouflage print 983781 Graphite tube 983782 Dust cap	V	•	•	Bundeswehr variant For live ammunition For blank ammunition
	985402	C-Mag drum type magazine, 100 rounds. Consisting of: 983777	~	~	~	For live ammunition
				! ! !		
				! ! !		
				1		

G36 5.56 MM X 45	IDNO.	DESIGNATION	636	G36K	C36C	REMARKS
	210777	Conversion magazine well for use of HK416 type magazines	~	•	•	Fits 251770, 233609, 235642, 235690
					1	
					1	
			I.			
	251770	Magazine, 30 rounds	~		· ·	
	233609	Magazine, 20 rounds	~	~	~	
	235642	Magazine, 10 rounds	~	~	~	
	1				1 1 1	
					 - 	
	235690	Magazine, 30 rounds	~	~	~	
	1				 	
	1				! ! !	
	983778	Magazine loader, 5 rounds, black	~	~	•	For live ammunition
	985023	Magazine loader, 5 rounds, yellow	~	~	•	For blank ammunition
	1				1	
3 3 110					1	
1						
•	1		1	1		

G36 5.56 MM X 45	IDNO.	DESIGNATION	636	G36K	036C	REMARKS
The state of the s	231856	Brass catcher	~	•	~	Approx. 60 cases capacity
Availe.						
					1	
	205415	Grip, S-E-F	·	•		Bundeswehr variant
	217612	Grip, 0-1 pictogram	~	-	~	
	217751	Grip, 0-1-D pictogram	~	~	~	
	217741	Grip, 0-1-2 pictogram	~	•	•	
	214602	Grip, 0-1-2-D pictogram	~	•	-	
	233596	Bolt catch lever, extended	~	•	~	
	202962	Magazine release lever, extended	•	•	~	
•				1	1	

G36 5.56 MM X 45	IDNO.	DESIGNATION	636	G36K		REMARKS
	203089	Trigger conversion kit	•	•	•	Improved trigger characteristic
				1 1 1 1	1	
					1	
				1 1 1 1	1	
	219083	Handguard, composite	_	- -	-	With integrated heat shield
_	234236	Handguard, aluminium	~	-	-	
				: 		
				! ! !	1	
	1		 	 	 	
	218499	Handguard, composite	-	•	-	With integrated heat shield
	210719	Handguard, aluminium	-	-	-	
	1			 	1	
(0)				!		
	218467	Handguard, composite	-	- -		With integrated heat shield
0	1		1	1 1 1	1 1 1	
	1			 	1	
	: 			1	1	
	1			 	 	

G36 5.56 MM X 45	IDNO.	DESIGNATION	636	G36K	G36C	REMARKS
	968559	Picatinny handguard (B&T). Including: 978251 Adapter for carrying sling 967065 Rubber Picatinny rail cover, black 978266 Rubber Picatinny rail cover, black	-	~	-	LxWxH 95x25x10 mm LxWxH 45x25x10 mm
	968917	Picatinny handguard (B&T). Including: 978251 Adapter for carrying sling 967065 Rubber Picatinny rail cover, black 978266 Rubber Picatinny rail cover, black	-		•	LxWxH 95x25x10 mm LxWxH 45x25x10 mm
2 2 3 3 3 3 7 3 7 3 7 3 7 3 7 3 7 3 7 3						
	202996	Picatinny rail (excl. Screws), aluminium	~	•	•	Mounting position: 6 oʻclock
	207764	Screw for Picatinny rail 202996	~	· •	· ·	3 x required each rail
Tellin.			 	! ! !	! ! !	
			 		; ; ; ; ;	
	219362	Picatinny rail (incl. screws), aluminium	·	-	-	Mounting position: 3 and 9 oʻclock
	219662	Picatinny rail (incl. screws), composite	~		- -	Mounting position: 3 and 9 oʻclock
			 	 	! ! ! !	
-			 	1 1 1 1	1 1 1 1	
				: !	1	

G36 5.56 MM X 45	IDNO.	DESIGNATION	636	G36K	D985	REMARKS
	209946	Picatinny rail (incl. screws), aluminium	~	~	~	Mounting position: 6 oʻclock
	209946	Picatinny rail (incl. screws), aluminium	-	~	~	Mounting position: 3 and 9 oʻclock
	219690	Picatinny rail (incl. screws), composite	~	~	~	Mounting position: 6 oʻclock
PITTI	219690	Picatinny rail (incl. screws), composite	-	•	•	Mounting position: 3 and 9 oʻclock
	219364	Finger protection with loops for carrying sling	~	~		
					1 1 1 1 1 1 1	
	 		 	 	1 1 1 1 1	
	251450	HK assault grip	~	~	-	
40	234620	HK assault grip (with space for trigger switch LM/LLM)	~	~	~	
				 	1	
	968869	Assault grip with integrated bipod, black	~	~	•	Requirement: picatinny rail
	967632	Assault grip with integrated bipod, dessert tan	~	~	•	Requirement: picatinny rail
					I I I	
				 	1	
					1	
			: 	 	1	

G36 5.56 MM X 45	IDNO.	DESIGNATION	636	G36K	D965	REMARKS
A a	214636	HK bipod, composite	~	 - -	 	
		1 1 1 1	 	I I I I	1 1 1 1	
				I I I I	I I	
				, 	 	
	978521	Harris bipod, adjustable from 15 to 23 cm, 6 steps	•	~	•	Requirement: picatinny rail and adapter
	978499	Harris bipod, adjustable from 15 to 23 cm, stepless	~	~	•	Requirement: picatinny rail and adapter
	985714	Harris bipod, adjustable from 23 to 33 cm, stepless	•	· •	•	Requirement: picatinny rail and adapter
			1	I I I I	I I I	
			 	 	1 1 1	
•	 		 	 	 	
_	233719	Picatinny adapter for Harris bipod	~	~	~	
			 	 	I I I I	
			1	1 1 1 1	1 1 1	
				 	! !	
	 		 	 	1 1 1 1	
	209662	Practice bolt	•	~	~	For Simunition and DM38 (MEN) ammo
			1	 	 	
0			 		I I I	
				 	! !	
			1	I I I	1	
					1	

G36 5.56 MM X 45	IDNO.	DESIGNATION	636	G36K	G36C	REMARKS
	210460	Blank firing attachment (BFA)	~	-	-	Dismountable
	210522	Blank firing attachment (BFA)	-	•	_	Dismountable
				! ! !	1	
	 			i ! !	i 	
	218486	Blank firing attachment (BFA)	~	_	-	Adjustable
	205423	Blank firing attachment (BFA)	-	-	-	Adjustable
	210478	Blank firing attachment (BFA)	-	-	~	Adjustable
				1	1	
					1	
	205460	Safety blank firing attachment (SBFA)	-	-	-	
	227725	Safety blank firing attachment (SBFA)	_	-	_	Only for G36 with 400 mm barrel
	205414	Safety blank firing attachment (SBFA) Safety blank firing attachment (SBFA)	_	-	_	
	207400	Sujety blank jiring attachment (SDFA)				
					1	
				 	¦	
	234251	Silencer ROTEX-III. Consisting of:	•	•	•	
		979356 Silencer, ROTEX-III 234182 Flash hider		 	1 1 1	Ø max. 38.1 mm / L: 221.6 mm / W: 788 g / 31.9 dB A For ROTEX silencer
				 	1	
	967250	Silencer, ROTEX-V	~	~	~	Ø max. 38 mm / L: 190.8 mm / W: 600 g / 33 dB A
(39)						
	1	1				

G36 5.56 MM X 45	IDNO.	DESIGNATION	636	G36K	G36C	REMARKS
	990020	Silencer ROTEX-III, compact	~	~		Ø max. 38.1 mm / L: 158.6 mm / W: 590 g / 28 dB A
	967251	Silencer, ROTEX-V, compact	~	~		Ø max. 38 mm / L: 161.8 mm / W: 540 g / 30 dB A
•			 	 	1 1 1 1	
				 	1 1 1 1 1	
•			 	 	1 1 1 1 1	
				 	1 1 1 1	
	234182	Flash hider	~	~	· ·	For ROTEX silencer
			 	 	1 1 1 1 1	
				 	1 1 1 1	
				 	I I I I	
			 	 	1 1 1 1	
				 	1	
	211013	Muzzle cap	~	•	•	
			1	1 1 1 1	I I I I	
			 	1 1 1 1	[[[[
				 	T I I I	
				1	! ! !	
	985653	Aitor bajonet, browngrey	~	_	_	
	968496	Aitor bajonet, black	~	-	-	
				 	I I I I	
					1	
U =					1	

G36 5.56 MM X 45	IDNO.	DESIGNATION	636	G36K	G36C	REMARKS
	205458	Carrying handle with 3x optical sight and reflex sight	~		-	
0 31	219546	Carrying handle with 1,5x optical sight and reflex sight	~	~	_	
			1	 		
1			1	I I I		
			i I I	 		
				: 		
	217723	Carrying handle with 3x optical sight	~	•	-	
	205457	Carrying handle with 1,5x optical sight	~	•	 - 	
	'			1 1 1 1	1 1 1	
			1	1 1 1 1	 	
			1 1 1	 	 	
				! !		
	209245	Carrying handle with 3x optical sight and Picatinny rail	~	•	-	
200110	234502	Carrying handle with 1,5x optical sight and Picatinny rail	-	•	-	
)		1	 	1 1 1 1	
			 	 	1	
			1	1 1 1 1	1 1 1	
	 		i I I	 	 	
	210931	Sight rail, aluminium	~		-	With mechanical folding sights
1			1	1	1	
THE PARTY OF THE P			 	 		
THE PARTY OF THE P			1	 	 	
			1 1 1	1 1 1	1	
				1		

G36 5.56 MM X 45	IDNO.	DESIGNATION	636	G36K	D9E9	REMARKS
	242741	Sight rail, aluminium. Consisting of: 209074 Picatinny rail 203058 Rear sight, foldable 203057 Front sight, foldable	*	V	*	With mechanical folding sights 3.2 mm rear sight bore In connection with 203058, 233905
Danish Market Control of the Control	207080	Sight rail, aluminium	~		V	With mechanical sights
	202961	Sight rail, aluminium	•	~	~	With mechanical folding sights
	210487	Sight rail, aluminium	•	~	~	With elevated mechanical folding sights
THE PARTY OF THE P						

G36 5.56 MM X 45	IDNO.	DESIGNATION	636	G36K	G36C	REMARKS
	235278	Sight rail, aluminium	•	· · · · · · · · · · · · · · · · · · ·	~	With mechanical sights
The state of the s						
THE STREET STREET				 	 	
				1 1 1 1 1	 	
						way to the to
	203038	Sight rail, aluminium		 	~	With mechanical sights
O months and a				 		
				 	 - 	
	218520	Sight rail, composite	•	•	~	With mechanical sights
The state of the s				 	 	
Transminiment of				 		
	209248	Picatinny evaluation adapter	· · · · · · · · · · · · · · · · · · ·	· ·	~	For carrying handle and sight rail
CHANGE OF THE PARTY OF THE PART				1 1 1 1 1		
1				 		

G36 5.56 MM X 45	IDNO.	DESIGNATION	636	G36K	G36C	REMARKS
	207926	Picatinny rail single-sided (lateral), aluminium	~	•	•	For sight rails
	207928	Picatinny rail ambidextrous (lateral), aluminium	~	~	~	For sight rails
	207130	Picatinny rail single-sided (lateral), aluminium	~	-	•	For carrying handle
	207132	Picatinny rail ambidextrous (lateral), aluminium	~	•	~	For carrying handle
				1 1 1 1 1 1 1 1		
	211116	Retractable buttstock with adjustable cheek rest.	~	· ·	~	Foldable and retractable (3 locking positions). Concave
	211117	Retractable buttstock with adjustable cheek rest.	~	-	•	Foldable and retractable (3 locking positions). Convex
103	202998	Retractable buttstock with cheek rest	~	V	•	Foldable and retractable (3 locking positions)
_	205449	Buttstock	~	· ·	~	Foldable
	218468	Buttstock short	~	V	•	Foldable
				1	1	

G36 5.56 MM X 45	IDNO.	DESIGNATION	636	G36K	G36C	REMARKS
	233516	Buttstock with cheek rest	~	~	~	Foldable
	207369	Buttstock short with cheek rest	~	~	~	Foldable
	217730	Vehicle rack	~	~	~	Bundeswehr variant
	218556	Vehicle rack	~	~	~	Export variant
	217729	Vehicle rack, distance piece	~	~	~	
	217728	Vehicle rack, support for folded out buttstock	~	~	~	
N. S.	217727	Vehicle rack, support for folded buttstock	•	~	•	
	978251	Adapter for carrying sling	•	~	•	
				 	1	
	1 1 1	 	 	 	 	
O min				 	 	
	1 1 1			 	 	
	 			I I I I	1 1 1 1 1	
	219331	Eyelet pin for carrying sling	~	~	~	
				 	1	
				 	1	
	1			 	 	
	1			1		

G36 5.56 MM X 45	IDNO.	DESIGNATION	636	G36K	G36C	REMARKS
	299221	Carrying sling without quick release, black	~	•	~	20 mm wide
	968225	Carrying sling without quick release, olive green	~	•	~	20 mm wide
	214085	Carrying sling with quick release, black	~	•	~	25 mm wide
	207059	Carrying sling with quick release, black	~	~	~	38 mm wide
	219685	Carrying sling without quick release, black	~	•	•	38 mm wide
				+		
	985692	Elastic carrying sling, black				1250 mm length
	968224	Elastic carrying sling, olive green	~			1250 mm length
	968481	Elastic carrying sling, black	*	•	~	1325 mm length
	984515	Elastic carrying sling, black	~	-		1600 mm length
				 	1 1 1 1 1 1 1 1	
	211024	Cleaning kit 5.56 mm x 45. Consisting of: 211333 Storage box, olive green 929086 Cleaning brush 91300 Cleaning chain 955009 Cleaning brush 929084 Oil brush 924026 Oil bottle, empty	~	•	•	
	988837	Cleaning kit 5.56 mm x 45. Consisting of: 988955 Nylon storage bag, olive green 988168 Nylon brush 985522 Cleaning rod, 6 parts 985523 Barrel brush 985524 Chamber brush 985525 Oil brush 985526 Oil bottle, empty 985527 Cleaning wipes, 50 ea.	~	*	*	

G36 5.56 MM X 45	IDNO.	DESIGNATION	636	G36K	G36C	REMARKS
	210544	Cleaning kit 5.56 mm x 45. Consisting of: 299172 Nylon storage bag, black 299175 Oil bottle, filled 988168 Nylon brush 985522 Cleaning rod, 6 parts 985523 Barrel brush 985524 Chamber brush 985525 Oil brush 985527 Cleaning wipes, 50 ea.	~	~	*	
	987445	Cleaning kit 5.56 mm x 45. Consisting of: 299172 Nylon storage bag, black 299174 Bag with silicon fabric 299175 Oil bottle, filled 988168 Nylon brush 985522 Cleaning rod, 6 parts 985523 Barrel brush 985524 Chamber brush 985527 Cleaning wipes, 50 ea.	~	~	~	
	967095	Bore snake, 5.56 mm x 45	~	~	~	For brushes with threads from the cleaning kits



HECKLER & KOCH GMBH
HECKLER & KOCH-STRASSE 1 | 78727 OBERNDORF A. N. | GERMANY PHONE: +49 (0)742379-0 | FAX: +49 (0)742379-2350 HKINFOBOARD@HECKLER-KOCH-DE.COM | WWW.HECKLER-KOCH.COM