ACCESSORIES PROGRAMME

HK416 5.56 MM X 45

HK416 5.56 MM X 45

ID.-NO.	DESIGNATION	10”	14.5”	16.5”	20”	REMARKS
251770	*Magazine, 30 rounds*	✓	✓	✓	✓	
233609	*Magazine, 20 rounds*	✓	✓	✓	✓	
235642	*Magazine, 10 rounds*	✓	✓	✓	✓	
235834	*Brass catcher*	✓	✓	✓	✓	
227609	*Grip V1*	✓	✓	✓	✓	
227610	*Grip V2*	✓	✓	✓	✓	

SUBJECT TO MODIFICATION | THE PICTURES SHOWN MAY DIFFER FROM THE ORIGINAL

HK416 5.56 MM X 45

	ID.-NO.	DESIGNATION	10”	14.5”	16.5”	20”	REMARKS
	235256	*Grip V3*	✓	✓	✓	✓	*With storage compartment for quick-release sight*
	234671	*Grip V4*	✓	✓	✓	✓	*With storage compartment for AA battery*
	968512	*Grip BG-16*	✓	✓	✓	✓	*With storage compartment for AA battery*
		Add-on kit, ambidextrous Safety/Fire selector lever SEMI **227691** *Safety/Fire selector axle SEMI* **227870** *Lever for Safety/Fire selector axle* **984199** *Clamping pin*	✓	✓	✓	✓	 *2x required* *2x required*
		Add-on kit, ambidextrous Safety/Fire selector lever AUTO **236946** *Safety/Fire selector axle AUTO* **227870** *Lever for Safety/Fire selector axle* **984199** *Clamping pin*	✓	✓	✓	✓	 *2x required* *2x required*

SUBJECT TO MODIFICATION | THE PICTURES SHOWN MAY DIFFER FROM THE ORIGINAL

HK416 5.56 MM X 45

ID.-NO.	DESIGNATION	10”	14.5”	16.5”	20”	REMARKS
236720	*Buttstock Mod. SlimLine*	✓	✓	✓	✓	*Retractable*

227614	*Recoil pad, convex*	✓	✓	✓	✓	
236323	*Recoil pad, convex*	✓	✓	✓	✓	*Plastic plug*

227616	*Recoil pad, concave*	✓	✓	✓	✓	
236330	*Recoil pad, concave*	✓	✓	✓	✓	*Plastic plug*

235333	*Locking lever for buttstock*	✓	✓	✓	✓	*Short variant*
227379	*Locking lever for buttstock*	✓	✓	✓	✓	*Long variant*

SUBJECT TO MODIFICATION | THE PICTURES SHOWN MAY DIFFER FROM THE ORIGINAL

HK416 5.56 MM X 45

ID.-NO.	DESIGNATION	10”	14.5”	16.5”	20”	REMARKS
227675	*Plate with loops for carrying sling*	✔	✔	✔	✔	
233201	*Safety blank firing attachment (SBFA)*	✔	–	–	–	
233208	*Safety blank firing attachment (SBFA)*	–	✔	–	–	
234675	*Safety blank firing attachment (SBFA)*	–	–	✔	–	
209756	*Magazine for blank ammo, 30 rounds, yellow*	✔	✔	✔	✔	*Only in connection with BFA*
235322	*Magazine for blank ammo, 30 rounds, red*	✔	✔	✔	✔	*Only in connection with BFA*
967269	*Blank firing attachment (BFA), yellow*	✔	–	–	–	*Approved with 989802*
967268	*Blank firing attachment (BFA), red*	–	–	✔	–	*Approved with 989802*

SUBJECT TO MODIFICATION | THE PICTURES SHOWN MAY DIFFER FROM THE ORIGINAL

HK416 5.56 MM X 45

	ID.-NO.	DESIGNATION	10”	14.5”	16.5”	20”	REMARKS
	989802	*Plastic Blank Ammo for BFA 967268 and 967269*	✓	✓	✓	✓	*Manufacturer: Nammo*
	989803	*Plastic Short Range Training Ammo (P-SRTA)*	✓	✓	✓	✓	*Manufacturer: Nammo*
	235957	*Practice bolt for P-SRTA 989803*	✓	–	✓	–	
	979356	*Silencer, ROTEX-III*	✓	✓	✓	✓	*Ø max. 38.1 mm / L: 221.6 mm / W: 788 g / 31.9 dB A*
	967250	*Silencer, ROTEX-V*	✓	✓	✓	✓	*Ø max. 38 mm / L: 190.8 mm / W: 600 g / 33 dB A*

SUBJECT TO MODIFICATION | THE PICTURES SHOWN MAY DIFFER FROM THE ORIGINAL

HK416 5.56 MM X 45

	ID.-NO.	DESIGNATION	10”	14.5”	16.5”	20”	REMARKS
	990020	*Silencer ROTEX-III, compact*	✓	✓	✓	✓	*Ø max. 38.1 mm / L: 158.6 mm / W: 590 g / 28 dB A*
	967251	*Silencer, ROTEX-V, compact*	✓	✓	✓	✓	*Ø max. 38 mm / L: 161.8 mm / W: 540 g / 30 dB A*
	211013	*Muzzle cap*	✓	✓	✓	✓	
	233106	*Flash hider*	✓	✓	✓	✓	
	235904	*Flash hider*	✓	✓	✓	✓	*Silencer not possible*

SUBJECT TO MODIFICATION | THE PICTURES SHOWN MAY DIFFER FROM THE ORIGINAL

HK416 5.56 MM X 45

ID.-NO.	DESIGNATION	10”	14.5”	16.5”	20”	REMARKS
235767	*Flash hider*	✓	✓	✓	✓	*Closed to the ground*
203647	*Adjusting collar*	✓	✓	✓	✓	

985653	*Aitor bajonet, browngrey*	–	✓	–	–	
968496	*Aitor bajonet, black*	–	✓	–	–	

978584	*Ribbon for buttstock*	✓	✓	✓	✓	

251450	*HK assault grip*	✓	✓	✓	✓	*Requirement: picatinny rail*
234620	*HK assault grip (with space for trigger switch LM/LLM)*	✓	✓	✓	✓	*Requirement: picatinny rail*

SUBJECT TO MODIFICATION | THE PICTURES SHOWN MAY DIFFER FROM THE ORIGINAL

HK416 5.56 MM X 45

ID.-NO.	DESIGNATION	10”	14.5”	16.5”	20”	REMARKS
968869	*Assault grip with integrated bipod, black*	✓	✓	✓	✓	*Requirement: picatinny rail*
967632	*Assault grip with integrated bipod, dessert tan*	✓	✓	✓	✓	*Requirement: picatinny rail*
978521	*Harris bipod, adjustable from 15 to 23 cm, 6 steps*	✓	✓	✓	✓	*Requirement: picatinny rail and adapter 233719*
978499	*Harris bipod, adjustable from 15 to 23 cm, stepless*	✓	✓	✓	✓	*Requirement: picatinny rail and adapter 233719*
985714	*Harris bipod, adjustable from 23 to 33 cm, stepless*	✓	✓	✓	✓	*Requirement: picatinny rail and adapter 233719*
233719	*Picatinny adapter for Harris bipod*	✓	✓	✓	✓	*Requirement: picatinny rail*
203597	*Standard charging handle*	✓	✓	✓	✓	

SUBJECT TO MODIFICATION | THE PICTURES SHOWN MAY DIFFER FROM THE ORIGINAL

HK416 5.56 MM X 45

ID.-NO.	DESIGNATION	10”	14.5”	16.5”	20”	REMARKS
235028	*Extended charging handle, left*	✓	✓	✓	✓	
236206	*Extended charging handle, right*	✓	✓	✓	✓	
203621	*Diopter sight*	✓	–	–	–	*28.4 mm sighting line*
233197	*Diopter sight*	–	✓	✓	–	*28.4 mm sighting line*
227663	*Diopter sight*	–	–	–	✓	*28.4 mm sighting line*
233210	*Fix front sight for diopter sight*	✓	✓	✓	✓	*28.4 mm sighting line*
203622	*Foldable front sight for diopter sight*	✓	✓	✓	✓	*28.4 mm sighting line*

SUBJECT TO MODIFICATION | THE PICTURES SHOWN MAY DIFFER FROM THE ORIGINAL

HK416 5.56 MM X 45

	ID.-NO.	DESIGNATION	10”	14.5”	16.5”	20”	REMARKS
	236305	*Foldable front sight for diopter sight*	✓	✓	✓	✓	*Closed front sight, 28.4 mm sighting line*
	300009	*Sight adjustment tool*	✓	✓	✓	✓	*For dioptre sight*
	227657	*Quick-release sight*	✓	✓	✓	✓	*2 mm Ø rear sight bore, 33 mm sighting line*
	235334	*Quick-release sight*	✓	✓	✓	✓	*3 mm Ø rear sight bore, 33 mm sighting line*
	236692	*Quick-release sight, captive*	✓	✓	✓	✓	*3 mm Ø rear sight bore, 33 mm sighting line*
	235251	*Foldable front sight for quick-release sight*	✓	✓	✓	✓	*Open front sight, 33 mm sighting line*

SUBJECT TO MODIFICATION | THE PICTURES SHOWN MAY DIFFER FROM THE ORIGINAL

HK416 5.56 MM X 45

	ID.-NO.	DESIGNATION	10”	14.5”	16.5”	20”	REMARKS
	235905	*Foldable front sight for quick-release sight*	✔	✔	✔	✔	*Closed front sight, 33 mm sighting line*
	233184	*Picatinny handguard short*	✔	✔	✔	–	
	233617	*Picatinny handguard long*	–	–	✔	✔	
	235729	*Long picatinny handguard w. integrated flip up front sight*	–	–	✔	✔	*Fits quick-release sight with 33 mm sighting line*

SUBJECT TO MODIFICATION | THE PICTURES SHOWN MAY DIFFER FROM THE ORIGINAL

HK416 5.56 MM X 45

ID.-NO.	DESIGNATION	10”	14.5”	16.5”	20”	REMARKS
235722	*Quick change mount*	✓	✓	✓	✓	*For telescopic sights with pipe Ø 30mm*
235726	*Quick change mount*	✓	✓	✓	✓	*For telescopic sights with pipe Ø 30mm, NSV80 sighting line*
235715	*Quick change mount*	✓	✓	✓	✓	*For telescopic sights with pipe Ø 34mm*
235720	*Quick change mount*	✓	✓	✓	✓	*For telescopic sights with pipe Ø 34mm, NSV80 sighting line*
235842	*Picatinny rail attachment for quick change mount*	✓	✓	✓	✓	*For telescopic sights with pipe Ø 34 mm*
235693	*Quick change mount*	✓	✓	✓	✓	*For telescopic sights with STANAG interface*
235625	*Conversion kit, match trigger 0-1-D*	✓	✓	✓	✓	*20 N trigger pull*
235626	*Conversion kit, match trigger 0-1*	✓	✓	✓	✓	*20 N trigger pull*

SUBJECT TO MODIFICATION | THE PICTURES SHOWN MAY DIFFER FROM THE ORIGINAL

HK416 5.56 MM X 45



ID.-NO.	DESIGNATION	10”	14.5”	16.5”	20”	REMARKS
967065	*Rubber Picatinny rail cover, black*	✓	✓	✓	✓	*LxWxH 95x25x10 mm*
978266	*Rubber Picatinny rail cover, black*	✓	✓	✓	✓	*LxWxH 45x25x10 mm*
235576	*Picatinny rail cover set, black*	✓	✓	✓	✓	*Set consist of 3 rails*
234723	*Carrying sling with quick release, black*	✓	✓	✓	✓	*38 mm wide*
237250	*Adapter for carrying sling 234723*	✓	✓	✓	✓	*With rotary loop for carrying sling*
237235	*Adapter for carrying sling 234723*	✓	✓	✓	✓	*With rotary loop for carrying sling and Allen screw*

SUBJECT TO MODIFICATION | THE PICTURES SHOWN MAY DIFFER FROM THE ORIGINAL

HK416 5.56 MM X 45

ID.-NO.	DESIGNATION	10”	14.5”	16.5”	20”	REMARKS
985692	*Elastic carrying sling, black*	✓	✓	✓	✓	*1250 mm length*
968224	*Elastic carrying sling, olive green*	✓	✓	✓	✓	*1250 mm length*
968481	*Elastic carrying sling, black*	✓	✓	✓	✓	*1325 mm length*
984515	*Elastic carrying sling, black*	✓	✓	✓	✓	*1600 mm length*

968569	*Cleaning kit 5.56 mm x 45. Consisting of:* **299172** *Nylon storage bag, black* **299175** *Oil bottle, filled* **235813** *Cleaning tool* **988168** *Nylon brush* **985522** *Cleaning rod, 6 parts* **985523** *Barrel brush* **985524** *Chamber brush* **985525** *Oil brush* **985527** *Cleaning wipes, 50 ea.*	✓	✓	✓	✓	*Recommended by HK*

988837	*Cleaning kit 5.56 mm x 45. Consisting of:* **988955** *Nylon storage bag, olive green* **988168** *Nylon brush* **985522** *Cleaning rod, 6 parts* **985523** *Barrel brush* **985524** *Chamber brush* **985525** *Oil brush* **985526** *Oil bottle, empty* **985527** *Cleaning wipes, 50 ea.*	✓	✓	✓	✓	

987445	*Cleaning kit 5.56 mm x 45. Consisting of:* **299172** *Nylon storage bag, black* **299174** *Bag with silicon fabric* **299175** *Oil bottle, filled* **988168** *Nylon brush* **985522** *Cleaning rod, 6 parts* **985523** *Barrel brush* **985524** *Chamber brush* **985527** *Cleaning wipes, 50 ea.*	✓	✓	✓	✓	

SUBJECT TO MODIFICATION | THE PICTURES SHOWN MAY DIFFER FROM THE ORIGINAL

HK416 5.56 MM X 45



ID.-NO.	DESIGNATION	10”	14.5”	16.5”	20”	REMARKS
211024	*Cleaning kit 5.56 mm x 45. Consisting of:* **211333** *Storage box, olive green* **929086** *Cleaning brush* **211300** *Cleaning chain* **955009** *Cleaning brush* **929084** *Oil brush* **924026** *Oil bottle, empty*	✓	✓	✓	✓	
967095	*Bore snake, 5.56 mm x 45*	✓	✓	✓	✓	*For brushes with threads from the cleaning kits*

SUBJECT TO MODIFICATION | THE PICTURES SHOWN MAY DIFFER FROM THE ORIGINAL

HECKLER & KOCH GMBH
HECKLER & KOCH-STRASSE 1 | 78727 OBERNDORF A. N. | GERMANY
PHONE: +49 (0)742379-0 | FAX: +49 (0)742379-2350
HKINFOBOARD@HECKLER-KOCH-DE.COM | WWW.HECKLER-KOCH.COM

V006.10.12